

**AMENDMENTS TO THE CLAIMS**

1. to 7. (canceled)

8. (previously presented) A composition comprising the product obtained by blending to homogeneity:

(A) 100 parts by weight of a polyorganosiloxane containing at least two alkenyl radicals per molecule;

(B) an organohydrogensiloxane containing at least two silicon-bonded hydrogen atoms in each molecule, in a quantity sufficient to provide from 0.5 to 3 silicon-bonded hydrogen atoms per alkenyl radical in ingredient (A);

(C) from 50 to 2,000 parts by weight of finely divided silver particles pre-treated with an organosilicon compound selected from the group consisting of (i) silanes containing at least one alkoxy group selected from the group consisting of methyltrimethoxysilane, vinyltrimethoxysilane, 3-glycidoxypropyltrimethoxysilane, 3-methacryloxypropyltrimethoxysilane, dimethyldimethoxysilane, trimethylmethoxysilane, trimethylethoxysilane, tetramethoxysilane, and tetraethoxysilane and (ii) organosiloxanes selected from the group consisting of:

(a) a resin comprising  $R_3SiO_{1/2}$  and  $SiO_{4/2}$  units,

(b) a resin comprising  $RSiO_{3/2}$  units,

(c) a resin comprising  $R_2SiO_{2/2}$  and  $RSiO_{3/2}$  units, or

(d) a resin comprising  $R_2SiO_{2/2}$ ,  $RSiO_{3/2}$ , and  $SiO_{4/2}$  units,

wherein each R represents a substituted or unsubstituted monovalent hydrocarbon;

(D) an amount sufficient to promote curing of said composition of a platinum catalyst;

(E) up to 20 weight percent, based on the weight of component (A), of ingredient (E), an organosilicon compound containing at least one silicon-bonded alkoxy group per molecule; and



(F) 0.001 to 5 weight parts, per 100 weight parts of ingredient (A), of a cure inhibitor.

9. to 13. (canceled)



15. (previously presented) The composition of claim 8, where the composition contains 0.5 to 8 parts by weight of ingredient (E), per 100 parts by weight of ingredient (A), and ingredient (E) further comprises at least one substituent selected from the group consisting of silicon bonded hydrogen, silicon-bonded vinyl, epoxy and trialkoxysilylalkyl radicals.

16. (canceled)

17. (previously presented) The composition of claim 8, where ingredient (E) comprises an organosilicon compound comprising:



where  $a$  and  $b$  are each integers with values of at least 1,



, or

18. (previously presented) The composition of claim 8, where ingredient (F) comprises an alkynyl alcohol, an ene-yne compound, 1,3,5,7-tetramethyl-1,3,5,7-tetravinylcyclotetrasiloxane, 1,3,5,7-tetramethyl-1,3,5,7-tetrahexenylcyclotetrasiloxane, or benzotriazole.

19. (previously presented) The composition of claim 8, where ingredient (B) has at least one silicon-bonded alkoxy group per molecule and ingredient (E) has not more than one silicon-bonded hydrogen atom per molecule.

20. (previously presented) The composition of claim 8 when cured on a solid substrate.